### **INSTALLATION GUIDE**

#### Safety First

When working in areas that generate dust it is advisable that you wear protective goggles, a dust mask and work gloves. Storage and work areas should be well ventilated.

#### Conditioning

It is important that you condition your panels by placing them in the room where they will be installed. Leave a space between sheets to allow for air circulation. For rooms above ground level, allow panels to condition for 24 hours. For rooms below ground level, allow for 48 hours.

#### Handling

To avoid scratching the surface of your panels, ensure that the work area remains clean, avoid contact between the panel and abrasive surfaces and take care when moving the panel to avoid chipping any edges.

#### Planning and Preparation

Calculate the number of panels required to complete your project and gather the necessary tools and materials from the following list:

- Tape measure
- Spirit level
- Pencil
- · Fine tooth handsaw or fine tipped tungsten machine
- · Fine tooth hacksaw
- Hand plane
- Sandpaper
- Timber battens
- Nails
- Hammer
- Staple gun Caulking gun
- Adhesive (we recommend a synthetic rubber based adhesive like Bostik Wallboard Adhesive, Sellevs Liquid Nails High Strength, or Sikaflex 11FC. Rigid or semi-rigid adhesive is not recommended.)
- Sealant (we recommend Selley's All Clear or Selley's Bathroom & Kitchen Sealant)
- · Caulking compound (we recommend Sellev's Bathroom & Kitchen Silicone)
- Wood block / cloth
- Mineral spirits
- Colour-matched joiners to join panels and finish off installation

#### Silicone Joins

WallART Linear can be installed using a butt join system rather than the matching joining strip.

If you choose to do this, apply bond breaker tape to the timber frame at the centre of the join before fixing the sheet to the wall Leave a 3mm gap between the sheets using an

Run masking tape down the sides of each join and fill with a

Trowel off any surplus and remove masking tape. Wipe off any excess silicone on the surfaces using a damp cloth

#### Installation on Plasterboard and Cement Sheets

WallART Linear can be fitted to walls that are already lined with a flat sheet, such as plasterboard and cement sheeting. Plasterboard sheeting can only be used in low humidity

In wet areas, cement sheeting such as Hardie's Villaboard is required. Walls subject to possible dampness or high moisture pick-up should not have WallART Linear fixed direct, but installed to dressed timber frame, or the wall surface must be waterproofed with an impermeable coating.

Installation requires the following:

- All surfaces must be clean and free of grease, oil, dust and paint.
- Walls must be completely dry.
- Electric drill & hole cutting bit Walls must be flat and square.
  - Use profiles in these applications.
  - Use a 5mm bead of adhesive around the edge of the sheet.
  - Use a zig zag pattern of 5mm bead of adhesive making sure that the bead is within 15 -20mm of the sheet edge.
  - Press the sheet against the wall to transfer the adhesive to the wall. Remove the sheet and hold away from the wall to allow adhesive to become tacky. This will take approximately 5 -15 minutes depending on
  - Once tacky, press the sheet back against the wall and continue as before.

#### Care and Maintenance


To maintain its original luster, your panels should be cleaned with a mild liquid non-abrasive cleanser. Avoid using abrasive powder cleansers.




1 We recommend that panels be fixed to a framework of timber battens 50mm x 25mm in size with a maximum spacing of 450mm between the vertical and horizontal battens. Ensure the lowest point of the frame is at least 25mm above the floor or shower base. Where two panels are joined together, place a timber batten behind the join and ensure the timber framework provides a flat surface.



2 When cutting straight lines use a fine tooth handsaw and always cut with the panel face up. If using a fine tipped tungsten face down. Sand or hand plane cut edges to achieve a smooth finish. Use a fine toothed hacksaw to cut your colourmatched joiners to size.




3 When cutting holes for taps, shower fitting and pipes measure and mark the outline of the area on the face of the panel, then drill and cut with the face up. For holes 20mm or larger in diameter a 2mm allowance for expansion should be made. These expansion gaps should later be sealed with silicone. Do not cut square corners in your panel. Drill holes on the inside of each corner you have marked and cut along your outlined area up to each drill hole. Lightly sand the inside edges of your cutout area to remove any burrs.




4 Begin in one corner by nailing or stapling an internal corner ioiner to the timber frame




the face of each timber batten that the first panel will be applied to.



6 Rub the back of each panel with coarse sandpaper in the areas that will make contact with the adhesive. Work with one sheet at a time, applying adhesive and installing. Position the panel carefully and press firmly to make contact with adhesive. Remove the panel until the adhesive becomes touch dry (approximately 5 to 10 minutes) and follow the adhesive



7 Place a bead of silicone sealant along the inside of each joiner (internal corner, sheet joiner, etc.) to create a 3mm expansion gap.



8 Slide the panel into the joiner and position the panel carefully. Fix the next joiner to the free edge of the panel and press the sheet into its final position.




9 Use a wood block wrapped in a soft cloth to work across the surface of each panel, tapping the block gently with a hamme to ensure the adhesive on all battens makes contact with the panel, particularly around




gap on each side of the next oiner and nail or staple the ioiner to the frame



11 Continue this process to fix panels around each wall and seal gaps at the base of each panel using silicone sealant.



also be finished using end caps Should this joiner be used. ensure all lengths of vertical sheet joiner finish 11mm short of edges. A bath mould is nmended for the lower edge of panels butting against



WLSBROGENA4 / V7 / JAN 2019



# WET AREA PANELLING

Designer Walls. Fast







**GUNNERSEN PTY LTD** ABN 35 004 051 003 FREE CALL: 1300 088 0667

\*Important: Some sheets have a protective film on both sides. This must be removed before installation

GUNNERSEN www.gunnersens.com.au









## **DESIGNER WALLS. FAST.**



Add a touch of class to your home or workplace with the Linear Series, WallART's line of wet area panelling. With a striking range of colours and patterns to choose from, you're sure to create a space that's not only functional, but stylish, too.

## WATER RESISTANT

The Linear Series is perfect for any indoor space that collects moisture, including the bathroom, kitchen, laundry and shower

## **DURABLE**

Made from high-pressure laminate it can withstand impact far greater than ceramic tiles, and will not discolour or fade. Being non-porous allows it to perform even in humid conditions like shower recesses. HYGIENIC

The Linear Series will not attract mould because it is grout-free. This also makes cleaning a breeze — simply wipe with a damp cloth and non-abrasive cleanser.

# STYLISH

The Linear Series offers you a range of attractive styles, from classic monochromes to contemporary patterns. Its streamlined finish makes it a versatile alternative to conventional tiles.

## SIMPLE TO INSTALL

Our easy-to-follow installation guide enables you to give your space a professional look at just a fraction of the cost, without the need for backing

The Linear Series. Streamlined style.

## SHEET COLOURS




Designer White (Tile) Snow White ▲◆●



Iron Age Gloss Pumice Matt




White Marble Gloss



New York White (Tile)


Sheet Joiner



Carrara Ice ▲◆●



Concrete Matt Slate Matt



New York Black (Tile)

## **JOINERS**



External Corner



Top/End Cap

# JOINER COLOURS

Snow White

Carrara Ice

Dusk Grey

Midnight Marble

Brushed Aluminium (PVC)



## **TECHNICAL DETAILS**

Sheet Size: 2400 mm x 1200 mm (All colours) Other sizes for selected colours only

- ▲ 2400 mm x 900 mm
- ◆ 2100 mm x 900 mm
- 1800 mm x 900 mm

Thickness: 3.0 mm (tolerance ±0.2 mm)

Finish: Density: 1450 kg/m<sup>3</sup> 4.35 kg/m<sup>2</sup>

Product tested and approved to international standard ISO 4586 for high-pressure laminate.

