



ADVANCED COMPOSITE CLADDING



ADVANCED COMPOSITE CLADDING

The VistaClad lightweight composite cladding system is revolutionising how cladding works with an innovative clip strip which locks boards into place using reliable dual spring technology. VistaClad is available in a range of colours and finishes, with trim and accessories, as a complete cladding system, designed for ease of installation. Backed by an industry-leading warranty, this low-maintenance, weather-resistant cladding is a smart, cost-efficient investment in your project, and a sustainable investment in our planet.



VISTA CLAD SYSTEM COMPONENTS

The VistaClad system combines Eva-Last composite technologies with an innovative installation process to provide a robust and convenient cladding solution. The resultant hidden fixing generates an unblemished finish and avoids the limitations or inconvenience of fastening through composite.



Composite Cladding Boards



Clip Strips



Adapters and Trim Profiles

CUTTING-EDGE SUSTAINABLE CLADDING

VistaClad composite cladding breathes vibrancy into your home or office space and enhances your walls with the attractive look of hardwoods. Let routine maintenance and premature replacement be things of the past as you look to the future with one of the most cutting-edge, and durable cladding products available. VistaClad is available in a selection of natural looking colours and comes with a complementary trim solution for a neat and tidy finish.



TAKE HOME THE BENEFITS



CLIP LOCK DESIGN

Boards securely click & lock into place to withstand strong winds



COMPLETE CLADDING SOLUTION

Innovative system with concealed fastening & trim for a finished look



LIGHTWEIGHT

Smart system engineered for lighter weight & better airflow



VENTILATED & INSULATED

Design allows for system ventilation & natural insulation



LOW-MAINTENANCE

Ideal for large-scale projects & application at height



DECAY RESISTANT

Resists biodegradation, corrosion, insects, UV, & harsh weather



COST-EFFECTIVE SYSTEM

Save on fast, simplified installation & overall upkeep



ECO-FRIENDLY

Sustainable manufacturing & use of raw materials


VISTA CLAD CLADDING IN APEX PVC COMPOSITE

VistaClad is available in Apex PVC composite. Backed by a 30-year warranty, Apex lightweight, capped composite is an ideal cladding material. The dual colour finish of Apex provides an exceptionally natural looking composite which embodies the essence of timber in a range of nuanced shades to complement your overall project. Install this environmentally friendly, low-maintenance cladding vertically or horizontally to suit your style.

Apex






PVC COMPOSITE CLADDING MATERIAL



APEX FOAMED-PVC CLADDING PROFILES

Multi-width, multi-depth Apex sizes

Cross section	Product description	Dimensions	Coverage	Mass
	Flat	163 x 24.5 mm	6.6 m ² /m	1.4 kg/m
	Two grooves	163 x 24.5 mm	6.6 m ² /m	1.6 kg/m



TECHNOLOGY: **Apex**



VISTA CLAD IN APEX DUAL TONE COLOUR TECHNOLOGY

The Apex dual tone colour range offers a sculpted grain finish for more natural looking cladding. Each cladding board has an extra layer of colour added to create the subtle variances found in timber. The sculpted grain finish produces a texture that embodies the look of wood to give your exterior walls the beauty of timber cladding in a more resilient, low-maintenance, and eco-friendly composite option.




Sculpted Grain
Surface Finish

TWO GROOVE PROFILE



WESTERN RED CEDAR



CHARRED CEDAR


FLAT PROFILE




MISTY GREY



WESTERN RED CEDAR




CARBONISED OSAGE




CHARRED CEDAR

VISTA CLAD CLADDING IN INFINITY COMPOSITE

VistaClad cladding boards in Infinity co-extruded capped composite offer exceptional durability. The hardy PE (polyethylene) composite core is wrapped in a robustly engineered polymer cap for a resilient composite. Infinity offers a low-maintenance, eco-friendly alternative to conventional cladding in a selection of natural finishes. Enjoy its resistance features, such as protection against scratches, fading, moisture, insects, and weather, all backed by a 25-year warranty.



INFINITY COMPOSITE CLADDING PROFILE

Cross section	Product description	Dimensions	Coverage	Mass
	Standard (Infinity)	159.5 x 22.5 mm	6.6 m ²	2.3 kg/m



TECHNOLOGY: *Infinity*

VISTA CLAD IN INFINITY STREAKED COLOUR TECHNOLOGY

The Infinity colour range offers specialised streaked colour technology to ensure that no two cladding boards are identical and to give your exterior walls the look of natural timber cladding. The brushed finish applied to the VistaClad Infinity cladding boards further enhances the natural tones, allowing you to enjoy the look of timber cladding in a more durable, hassle-free, and sustainable composite.



Brushed Softwood
Surface Finish



OASIS PALM



THE CLIP STRIP

The VistaClad clip strip uses a punched spring design that allows the cladding boards to be easily and securely clicked into place. Three epoxy-coated, zinc-galvanised strip profile options provide flexibility in application and allow for optimal ventilation and drainage.

The dual spring-loaded clip creates a rigid hold and locks the boards in place.



FLAT CLIP STRIP

The flat clip strip is fitted directly to the wall substrate or frame. As a result, this solution provides the smallest ventilation/drainage cavity and fixing can only be done through the face of the clip strip.

Dimensions	40 x 11.7 mm (1.8 m lengths)
Weight	0.4 kg/m




TOP HAT CLIP STRIP

The top hat clip strip fits over 38 mm (timber) and 40 mm (composite and steel) supports. As a result, the ventilation/drainage cavity will be influenced by the thickness of the support as well as the fixing method but the minimum depth the top hat profile allows for is 25.4 mm. Fixing can be done through the face, the side, and either side of the clip strip base. Fixing through the side allows for the top hat to be plumbed quickly and easily.

Dimensions	85.4 x 35.9 mm (2.7 m lengths)
Weight	1.2 kg/m



NYLON ADAPTORS




Top & bottom adaptor

Side adaptor

Internal corner adaptor

External corner adaptor

ALUMINIUM TRIM PROFILES



Universal trim profile
5.8 m

T trim profile
2.9 m

Minimal U trim profile
2.9 m

Internal corner
trim profile
2.9 m


External corner
trim profile
2.9 m

AVAILABLE TRIM COLOURS:

- Black
- Light Brown
- Tan Brown
- Warm Grey

TRIM APPLICATIONS

Trim accessories hide the structure for a neat final look and can be installed using sealing strips to improve the weather resistance of the cladding surface. The clip strip allows for easy guided placement of the adaptors and the universal trims may be used with VistaClad or any cladding boards with a thickness of 20.5 to 26.5 mm.



Top, bottom and side adaptors with universal trim profile

Side adaptor with T trim profile

Side adaptor with minimal U trim profile

Internal corner adaptor with internal corner trim profile

External corner adaptor with external corner trim profile

Top and bottom and edge applications

Butt join applications


External & internal corner applications

Window applications




INSTALLATION PROCESS


The VistaClad complete cladding system is designed to minimise installation time and cost. The same basic steps, outlined below, are required for all applications.




Step 1
Fasten the clip strip to the substructure using an appropriate fastening system. Ensure vertical and horizontal alignment.



Step 2
Once clip strips are securely fastened, install the boards from the bottom up. Insert each board at a slight angle to engage the feet of the board with the ledge of the clip.



Step 3
With the feet in place, apply downward pressure to click and lock the board into place.



Step 4
Install the next board using the same process as in Step 2 but engage both the clip ledge and the tongue of the previous board.



Step 5
Once the board is in place and appropriately aligned, press downward until the board is clicked and locked into place.




Step 6
Install trim where required to finish.



HORIZONTAL AND VERTICAL APPLICATIONS


VistaClad is conveniently versatile. The same components and approach are employed for the installation of boards in vertical, horizontal and even diagonal laying patterns.





LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials



CHOOSE SUSTAINABLE BUILDING MATERIALS



RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint

Proudly distributed in Australia by



salesnsw@iti.net.au

ITI NSW - Tel: 02 8805 5000

ITI Newcastle - Tel: 02 4953 7666

JCS - Tel: 02 9833 0355



www.eva-last.net.au

Eva-Last reserves the rights to all brands, products and trademarks within this publication.
Eva-Last ITEM: 0923 V3 NSW VISTA CLAD BROCHURE

Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

Disclaimer:

Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.