

Clouds

FilaSorb™ 24



Product Detail

Application Ceiling

100% polyester Composition **Material** FilaSorb™ 60% min Recycled content

Dimensions Circle - 1200 x 1200mm

Hexagon - 1200 x 1385mm

Rectangle - 1200 x 1400mm

Thickness 24 mm +/- 10% Qty per carton Circle – 2

> Rectangle - 1 Hexagon - 2

QuickShip

QuickShip Standard (Made to Order)



Our standard made to order products have an approx. 2-3 week lead time from payment and order confirmation.

Technical Data

Fire rating AS/ISO 9705.1, Group 1

ASTM E84-17a, Class A

EN 13501-1: 2019, B-s1, d0

SCS-EC10.3-2014 v4.0 meeting Indoor air quality

standard CDPH/EHLB Standard Method

 $v.1.2-2017, \le 0.5 \text{mg/m}^3$

ISO 105-B02, 6-7 Color fastness

Sustainability



Made from 60% min. recycled content



Red List Free Declare Label (3rd Party Verified)



Generated using 40% solar energy



Total VOC's less than Phenol & 0.5 mg/m^3 (3rd Party Verified)



Recyclable at

end-of-life



formaldehyde free








Acoustic Performance

ISO 354-2006 Test method

NRC 0.60 (no air gap) **Results**



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
24mm as no air gap	0.02	0.57	0.41	0.58	0.87	0.85	0.60


Guarantees

Warranty against defects 20 years* Color fastness warranty 20 years*


*conditions apply




Designs







Hexagon
Dimensions
1200 x 1385mm



Rectangle
Dimensions
1200 x 1400mm



Light Reflectance Values (LRV), are a measure of the percentage of visible and usable light that is reflected from a surface when illuminated by a light source.

Colorways



Mounting Methods

