




QUATRO
DESIGN®



TRAQ®




THE ONLY LIMIT IS YOUR IMAGINATION

Our cutting-edge modular seating system in GRC presents an array of limitless seating configurations, meticulously designed to cater to the distinct requirements of public spaces.


The seating modules can be extended in 600mm intervals, accommodating spaces both indoors and outdoors, ranging up to 2400mm.

The inclusion of backrests, timber or upholstered seating inserts, planters and a range of complementary accessory options, ensure a seamless fit for any setting.



ABOUT US

We stand at the intersection of landscape and architecture, our work is founded in balance — between people and place — enhancing the Australian built environment through quality, design detail and durability that surpasses time and trends.



AUSTRALIAN MANUFACTURING

Quatro Design is synonymous with quality. To achieve consistent high quality and durability, our products are manufactured using modern and specialized GRC equipment.

The manufacture of GRC production requires a high degree of hands-on specialized labour coupled with close attention to detail.

Many of our employees are long standing and valued members of our team who understand GRC production and what is required to deliver consistent quality. These highly valued personal skills coupled with modern specialised GRC equipment is an important part of our manufacturing philosophy.

Each piece is checked during the manufacturing process to ensure compliance with our strict standards and to ensure that our products deliver on customer expectations.

We believe in the value of hand finishing all our products, with attention to detail that has been acquired over years of manufacturing and in supporting the development of our team.

TRAQ®



We're proud of the support that we are able to give our local community and the role that we continue to play in enhancing the Australian built environment.





TRAOQ®



STRAIGHT SEATING MODULES

Comes standard with Straight Ends

Option for Rounded End (R)



*Rounded End on one side only

Seat
TQ-SEAT
D 440 x H 430 mm
30kg Approx Weight



One Seater Bench
TQ-1S
Rounded: TQ-1SR
L 600 x W 440 x H 430 mm
55kg Approx Weight



Two Seater Bench
TQ-2S
Rounded: TQ-2SR
L 1200 x W 440 x H 430 mm
95kg Approx Weight




Three Seater Bench
TQ-3S
Rounded: TQ-3SR
L 1800 x W 440 x H 430 mm
135kg Approx Weight



Four Seater Bench
TQ-4S
Rounded: TQ-4SR
L 2400 x W 440 x H 430 mm
175kg Approx Weight



TRAQ®



BACKREST OPTIONS

Comes standard with Straight Ends



Option for Rounded End (R)



*Rounded End on one side only

Option for Flat Back (F)



Option for Flat Back Rounded (FR)



One Seater Backrest

TQ-1B
Rounded: TQ-1BR
Flat Back: TQ-1B-F
Flat Rounded Right: TQ-1BR-FR
Flat Rounded Left: TQ-1BR-FL

L 600 x W 440 x H 830 mm
80kg Approx Weight



Two Seater Backrest

TQ-2B
Rounded: TQ-2BR
Flat Back: TQ-2B-F
Flat Rounded Right: TQ-2BR-FR
Flat Rounded Left: TQ-2BR-FL

L 1200 x W 440 x H 830 mm
135kg Approx Weight



Three Seater Backrest

TQ-3B
Rounded: TQ-3BR
Flat Back: TQ-3B-F
Flat Rounded Right: TQ-3BR-FR
Flat Rounded Left: TQ-3BR-FL


L 1800 x W 440 x H 830 mm
190kg Approx Weight



Four Seater Backrest


TQ-4B
Rounded: TQ-4BR
Flat Back: TQ-4B-F
Flat Rounded Right: TQ-4BR-FR
Flat Rounded Left: TQ-4BR-FL

L 2400 x W 440 x H 830 mm
245kg Approx Weight



90° MITRE SUITE

Option for Flat Back (F)



Mitre Inner Bench Seating

TQ-MI

L 1040 x W 1040 x H 430 mm
144kg Approx Weight
*Includes x 2 modules for 90°



Mitre Backrest, TQ-MB

Flat back: TQ-MB-F
(Flat Back Concave only)


L 1420 x W 1420 x H 830 mm
280kg Approx Weight
*Includes x 2 modules for 90°




Mitre Outer Bench Seating

TQ-MO

L 1800 x W 1800 x H 430 mm
246kg Approx Weight
*Includes x 2 modules for 90°



TRAOQ®



TRAQ®

CURVED MODULES



CLR820 Curved Seat
TQ-CS-820-(insert angle)

CLR820 x W 440 x H 430 mm
Angles:
90°, 120°, 135° or 150°
45-100kg Approx Weight



TQ-CS-820-150 shown

CLR1200 Curved Backrest
TQ-CB-1200-(insert angle)

CLR1200 x W 440 x H 830 mm
Angles:
90°, 120°, 135° or 150°
85-200kg Approx Weight



TQ-CB-1200-150 shown

CLR1580 Curved Seat
TQ-CS-1580-(insert angle)

CLR1580 x W 440 x H 430 mm
Angles:
90°, 120°, 135° or 150°
70-180kg Approx Weight



TQ-CS-1580-150 shown

CLR1960 Curved Backrest
TQ-CB-1960-(insert angle)

CLR1960 x W 440 x H 430 mm
Angles:
120°, 135° or 150°
120-210kg Approx Weight



TQ-CB-1960-150 shown

CLR2340 Curved Seat
TQ-CS-2340-(insert angle)

CLR2340 x W 440 x H 830 mm
Angles:
120°, 135° or 150°
95-140kg Approx Weight



TQ-CS-2340-150 shown

CLR2720 Curved Backrest
TQ-CB-2720-(insert angle)

CLR2720 x W 440 x H 430 mm
Angles:
120°, 135° or 150°
155-285kg Approx Weight



TQ-CB-2720-150 shown

CLR3100 Curved Seat
TQ-CS-3100-(insert angle)

CLR3100 x W 440 x H 430 mm
Angles:
135° or 150°
125-175kg Approx Weight



TQ-CS-3100-150 shown

CLR3480 Curved Backrest
TQ-CB-3480-(insert angle)

CLR3480 x W 440 x H 830 mm
Angles:
135° or 150°
190-275kg Approx Weight



TQ-CB-3480-150 shown

CLR3860 Curved Seat
TQ-CS-3860-(insert angle)

CLR3860 x W 440 x H 430 mm
Angles:
135° or 150°
150-215kg Approx Weight



TQ-CS-3860-150 shown



SEATING INSERTS

Enhance and tailor your seating configurations by incorporating recessed timber or upholstered inserts. The inserts are available in various lengths: 600mm, 1200mm, 1800mm and 2400mm, seamlessly fitting into the seat design.

Our standard timber option is Spotted Gum, but you have the flexibility to substitute with other timber options. Your upholstery choice and type can also be specified for custom pricing.

Connect with our sales team to explore placement and configuration possibilities for your inserts.



Comes standard with Straight Ends



Option for Rounded End (R)



*Rounded End on one side only

Option for Rounded End



*Rounded End on one side only

Option for Timber Length-way (TL)



Option for Timber Width-way (TW)



TIMBER SEATING INSERTS

One Seater Timber Insert
 Length-way: T1SL
 Width-way: T1SW
 Rounded: T1SLR & T1SWR
 L 600 x W 440 x H 35 mm
 55kg Approx Weight



TQ-1S-T1SW shown

Two Seater Timber Insert
 Length-way: T2SL
 Width-way: T2SW
 Rounded: T2SLR & T2SWR
 L 1200 x W 440 x H 35 mm
 95kg Approx Weight



TQ-2S-T2SW shown

Three Seater Timber Insert
 Length-way: T3SL
 Width-way: T3SW
 Rounded: T3SLR & T3SWR
 L 1800 x W 400 x H 35 mm
 130kg Approx Weight



TQ-3S-T3SW shown

Four Seater Timber Insert
 Length-way: T4SL
 Width-way: T4SW
 Rounded: T4SLR & T4SWR
 L 2400 x W 440 x H 35 mm
 170kg Approx Weight



TQ-4S-T4SW shown

TIMBER INSERT EXAMPLES



TQ-1SR-T1SLR shown



TQ-2S-T1SL shown



TQ-3SR-T2SWR shown



TQ-4S-T1SL shown



**CURVED
TIMBER
SEATING
INSERTS**

CLR820 Curved Timber
Insert (Width-ways only)
TQ-CS-820-(insert angle)-TW

CLR820 x W 440 x H 430 mm
Angles:
90°, 120°, 135° or 150°
45-100kg Approx Weight



TQ-CS-820-150-TW shown

CLR1580 Curved Timber
Insert (Width-ways only)
TQ-CS-1580-(insert angle)-TW

CLR1580 x W 440 x H 430 mm
Angles:
90°, 120°, 135° or 150°
70-175kg Approx Weight



TQ-CS-1580-150-TW shown

CLR2340 Curved Timber
Insert (Width-ways only)
TQ-CS-2340-(insert angle)-TW

CLR2340 x W 440 x H 830 mm
Angles:
120°, 135° or 150°
95-170kg Approx Weight



TQ-CS-2340-150-TW shown

CLR3100 Curved Timber
Insert (Width-ways only)
TQ-CS-3100-(insert angle)-TW

CLR3100 x W 440 x H 430 mm
Angles:
135° or 150°
120-170kg Approx Weight



TQ-CS-3100-150-TW shown

CLR3860 Curved Timber
Insert (Width-ways only)
TQ-CS-3860-(insert angle)-TW

CLR3860 x W 440 x H 430 mm
Angles:
135° or 150°
145-210kg Approx Weight



TQ-CS-3860-150-TW shown



**TIMBER
BRIDGING
UNITS**

Our timber bridging
units, brackets and all
necessary components
are included in your
delivery for hassle-free
assembly on site.

Three Seater Bridge
(Recessed 600mm from ends)
T3SL-BRIDGE
Rounded: T3SLR-BRIDGE

L 1800 x W 440 x H 35 mm
21kg Approx Weight




T3SL-BRIDGE shown

Four Seater Bridge
(Recessed 600mm from ends)
T4SL-BRIDGE
Rounded: T4SLR-BRIDGE

L 2400 x W 440 x H 35 mm
28kg Approx Weight



T4SLR-BRIDGE shown



UPHOLSTERED SEATING INSERTS

To add to TRAQ's versatility upholstered seating inserts can be specified as a timber alternative.

Every space is unique, discuss your requirements with our sales team for a tailored quote and seating insert solution.

TRAQ®





PLANTERS

Comes standard with Straight Ends Option for Rounded End (R)



*Rounded End on one side only

440 Planter
TQ-440PL
D 440 x H 430 mm
30kg Approx Weight



600 Planter
TQ-600PL
Rounded: TQ-600PLR
L 600 x W 440 x H 430 mm
Rim 70 mm
55kg Approx Weight



1200 Planter
TQ-1200PL
Rounded: TQ-1200PLR
L 1200 x W 440 x H 430 mm
Rim 70 mm
95kg Approx Weight



1800 Planter
TQ-1800PL
Rounded: TQ-1800PLR
L 1800 x W 440 x H 430 mm
Rim 70 mm
135kg Approx Weight



2400 Planter
TQ-2400PL
Rounded: TQ-2400PLR
L 2400 x W 440 x H 430 mm
Rim 70 mm
175kg Approx Weight



PLANTER INSERTS

Planter inserts can be positioned anywhere on the GRC base (in 600mm increments). Discuss your preferred location with our sales team.

440 Planter Insert
(insert seat)-440PL
Rounded: (insert seat)-440PLR
300 x 300 mm (Planter)



TQ-4S-440PL shown

600 Planter Insert
(insert seat)-600PL
Rounded: (insert seat)-600PLR
460 x 300 mm (Planter)



TQ-4S-600PL shown

1200 Planter Insert
(insert seat)-1200PL
Rounded: (insert seat)-1200PLR
1060 x 300 mm (Planter)




TQ-4S-1200PL shown

1800 Planter Insert
(insert seat)-1800PL
Rounded: (insert seat)-1800PLR
1660 x 300 mm (Planter)



TQ-4S-1800PL shown

CRAFT YOUR VISION, VIRTUALLY



3D CONFIGURATOR COMING SOON!

You'll be able to create custom configurations, uniquely suited to your space on our website. Launching on TRAQ's product page early 2024!

CONFIGURATION EXAMPLES



MODULES:

- 2 TQ-CS-820-90
- 2 TQ-CS-820-90-TW

MODULES:

- 2 TQ-2SR
- 2 TQ-CS-820-150
- 2 TQ-4S-T4SL
- 2 TQ-CS-1580-150
- 1 TQ-2400PLR
- 2 TQ-3BR
- 2 TQ-CB-1200-150
- 1 TQ-4B
- 1 TQ-3S-T2SLR



MODULES:

- 3 TQ-CB-1200-90
- 3 TQ-CS-820-90
- 1 TQ-TABLE-SML



MODULES:

- 1 TQ-4SR-U3SR-600PL
- 1 TQ-2S-U2S
- 1 TQ-1800PL
- 1 TQ-3S-U3S
- 1 TQ-4SR-U2SR-1200PL
- 1 TQ-4BR-FR
- 2 TQ-4B-F
- 1 TQ-4BR-FL



MODULES:

- 1 TQ-2S-T2SW
- 1 TQ-2S-600PL
- 1 TQ-ARMREST


MODULES:

- 4 TQ-CS-1580-120
- 2 TQ-CS-1580-120-TW
- 4 TQ-3S-T2SW
- 6 TQ-CB-1200-120
- 4 TQ-3B


STRAIGHT SEATING




Timber Insert Length-way



Timber Insert Width-way




Upholstered Insert




STRAIGHT SEATING with ROUNDED END




Timber Insert Length-way




Timber Insert Width-way



Upholstered Insert




CURVED MODULES




Seats available with timber width-way and upholstered inserts

BACKREST OPTIONS




with Rounded End




MITRE SUITE



PLANTER INSERT




Planter & Timber Length-way Combo




Planter & Timber Width-way Combo




Planter & Upholstery Combo




PLANTER INSERT with ROUNDED END SEAT




Planter & Timber Length-way Combo



Planter & Timber Width-way Combo



Planter & Upholstery Combo



©2024 Quatro Design Pty Ltd. All rights reserved.

This document, including all of its contents, photographs, diagrams, drawings or representations contained, is the exclusive property of Quatro Design Pty Ltd. All information contained in this document is sensitive confidential information of Quatro Design Pty Ltd, and may also represent confidential and legally protected and enforceable industrial or intellectual property of Quatro Design Pty Ltd. No part of this document, including any photographs, diagrams, drawings or representations, may be reproduced, republished or otherwise disclosed or distributed without prior written consent of Quatro Design Pty Ltd. Document Reference: TQ-FY24



WHERE LANDSCAPE MEETS ARCHITECTURE®

QUATRODESIGN.COM.AU