



insight lighting

ADOB E

A versatile pendant light inspired by the simple forms of adobe architecture, crafted and manufactured with pride in New Mexico.






A D O B E





CUSTOM COLOR SHOWN

DISCREET
INDIRECT
LIGHT



POWERED
SUSPENSION
CABLES

MACHINED
END POSTS

HIGH
PERFORMANCE
DIFFUSER

PRECISION
BENT
ALUMINUM
SHADE

OPTIONAL
MICRO LOUVER





FIXTURE SHOWN IS MEDIUM
DIRECT 15W/FT MOUNTED
6 FEET ABOVE TABLE


PROJECT: _____ TYPE: _____ CAT. #: ADB - - - - -

PROFILE


LIGHT SOURCE HIGH PERFORMANCE CV LED BOARDS
OUTPUT 19.0 W - 81.0 W
DISTRIBUTION DIRECT, DIRECT/INDIRECT
WHITE CCT 2700K, 3000K, 3500K, 4000K
CRI 82 CRI (OPTIONAL 90 CRI)
VOLTAGE UNIVERSAL 120-277V
POWER REMOTE, OPTIONAL INTEGRAL POWER CANOPY
DIMMING 0-10V, LUTRON - HI-LUME PREMIER 0.1% ECOSYSTEM
 24V CONSTANT VOLTAGE LED DRIVER WITH SOFT-ON,
 FADE TO BLACK DIMMING TECHNOLOGY
SIZES SM, MED, LRG, XLRG, XXLRG, XXXLRG
WEIGHT 5.0 LBS TO 17.0 LBS
HOUSING 0.125" PRECISION BENT ALUMINUM
MOUNTING POWERED SUSPENSION CABLES
END CAPS MACHINED ALUMINUM, BRASS
LENS HIGH PERFORMANCE EXTRUDED ACRYLIC
FINISH HIGH DURABILITY POWDER COATING
WARRANTY 5-YEAR LIMITED
CERTIFICATION ETL AND cETL FOR DRY LOCATION



FINISHES



OPTICS




PERFORMANCE SAMPLE

3000K DIRECT/INDIRECT	DIRECT LUMENS	INDIRECT LUMENS	EFFICACY
SMALL	2328 LM	348 LM	1174 LM/W
MEDIUM	3585 LM	536 LM	1171 LM/W
LARGE	4726 LM	706 LM	1171 LM/W
XLARGE	5913 LM	884 LM	1170 LM/W
XXLARGE	7147 LM	1068 LM	1170 LM/W
XXXLARGE	8265 LM	1235 LM	1173 LM/W

PROFILE

[go to fixture dimensions >](#)




OPTIONS




PROJECT: _____ TYPE: _____ CAT. #: ADB - - - - -

DIMENSIONS


ADOBE SMALL




ADOBE MEDIUM




ADOBE LARGE




ADOBE XLARGE




ADOBE XXLARGE



ADOBE XXXLARGE



insight lighting



12 / 21 / 20

4341 FULCRUM WAY NE
RIO RANCHO, NEW MEXICO 87144
505.345.0888
INSIGHTLIGHTING.COM

insight lighting