

Serge Ferrari

Soltis
Veozip

A new vision
of outdoors



Enjoy the shade and keep your view.

Soltis Veozip is the ideal fabric for enjoying your outdoor view due to its unmatched transparency. Its matt, woven aspect will embody your terrace's warm, elegant design.

As an effective extension of your living space, your pergola equipped with **Soltis Veozip** creates a real cocoon outside. You'll fully enjoy your fun times sheltered from the wind and heat, while remaining within your outdoor environment.



Hemp-based composition for natural fabric aspect




Filters up to 95% of UV radiation



Plays on transparency




Protects from wind



Shadow

7605-51194



Perfect integration into ZIP systems



Optimum thermal comfort to take maximum advantage of your terrace without excessive heat in mid-summer




Glare control for greater visual comfort during relaxing or remote working times


.....
**Personalise the pergola
of your dreams!**
.....



**Scan this
QR code**
to configure
your pergola




RAW




Macadamia

7605 - 51188




Edelweiss

7605 - 51185




Natural

7605 - 51187




Tundra


7605 - 51190



RAL 9010




RAL 1013




RAL 1015

TROPICAL




Frost white

7605 - 51184




Edelweiss

7605 - 51185




Cumulus

7605 - 51186



lunar surface

7605 - 51191




RAL 9016



RAL 7030



RAL 7039



ELEGANT




RAL 9010



RAL 7016




RAL 9005




Frost white

7605 - 51184




Edelweiss

7605 - 51185



Volcano

7605 - 51195



Graphite black

7605 - 51198

SPICE




RAL 1019



RAL 8019




RAL 3004




Macadamia

7605 - 51188




Lunar surface

7605 - 51191



Grey pepper

7605 - 51197



Sandalwood

7605 - 51196




RAL 7035



RAL 9007




RAL 7016



Mistral

7605 - 51189




Sea urchin

7605 - 51193



Sea lion

7605 - 51192


















Shadow

7605 - 51194

PURE

■ Solar and light properties

		TS	RS	AS	TV n-h	g_{tot}^e EN13363-2 Type C glazing	g_{tot}^e EN13363-2 Type D glazing	14501 Class g_{tot}^e EN13363-2 Type C ou D glazing
Frost white 51184		9	59	32	8	0,07	0,04	4
Edelweiss 51185		9	50	41	8	0,07	0,04	4
Cumulus 51186		6	37	57	6	0,06	0,04	4
Natural 51187		7	37	56	7	0,06	0,04	4
Macadamia 51188		5	29	66	4	0,05	0,03	4
Mistral 51189		5	28	67	5	0,05	0,03	4
Tundra 51190		6	27	67	5	0,05	0,04	4
Lunar surface 51191		7	18	75	6	0,06	0,04	4
Sea lion 51192		8	13	79	7	0,07	0,05	4
Sea urchin 51193		6	17	77	6	0,06	0,04	4
Shadow 51194		5	7	88	5	0,06	0,04	4
Volcano 51195		5	7	88	5	0,05	0,04	4
Sandalwood 51196		6	10	84	6	0,06	0,04	4
Grey pepper 51197		5	8	87	5	0,05	0,04	4
Graphite black 51198		5	5	90	5	0,06	0,04	4

TS: Solar Transmission (%)

RS: Solar Reflection (%)

AS: Solar Absorption (%)

TS + RS + AS = 100% of incident energy

TV n-h: Normal-hemispherical visible light transmission (%)

g_{tot}^e : Outdoor solar factor

* EN 13363-2
detailed method

Consider the spectral transmission and reflection values for the glazing + blind combination to calculate the solar factor g_{tot} .

Glazing type:

«C»: Low emission, insulating double glazing - face 3 (4 + 16 + 4; argon-filled) $g = 0.59$ - $U = 1.2$

«D»: Low emission, insulating double glazing - face 2 (4 + 16 + 4; argon-filled) $g = 0.32$ - $U = 1.1$

Main applications

ZIP blinds (façade and pergola), external blinds, vertical veranda blinds



- Optimised for facade external blinds using ZIP systems
- Gtot^e from 3 to 5% with Type D glazing (*)
- Class 4 gtot for any glazing or colour (**)
- Euroclass B-s2, d0
- Certification High UV colourfastness

(*) calculation based on EN14501-2

(**) calculation based on EN14501-2 for Type C or D glazing



Filters up to 95%
of UV rays



Soltis Veozip

■ Technical properties

	■ Technical properties	Standards
Openness factor	5%	
Weight	600 g/m ²	EN ISO 2286-2
Thickness	0,90 mm	
Roll widths	290 cm - 320 cm*	

■ Roll length

Standard format: 290 cm roll width	42 lm	
Standard format: 320 cm roll width	35 lm	

■ Physical properties

Breaking resistance (warp/weft)	250 / 170 daN / 5 cm	EN ISO 1421
Tear resistance (warp/weft)	25 / 25 daN	DIN 53.363

■ Fire resistance

Rating	M1/NFP 92-507 — B1/DIN 4102-1 — BS 7837 — BS 5867 — C UNO/UNI 91-77 — Classe 1/EN 13373 — Method 1/NFPA 701 — CSFMT19 — Class A/ASTM E84	
Euroclass	B-s2,d0	EN 13501-1

■ Management system

Quality	ISO 9001	
---------	----------	--

■ Certifications, labels, warranties, recyclability



**Smart Yarn
Technology**

**5 years
warranty**

■ Tools and services

- Life Cycle Assessment and Environmental Health Declarations available on request
- Custom thermal performance simulation service for your projects and associated Soltis solar protection systems. Please contact your Serge Ferrari representative
- Evaluation tool for energy savings achieved with Soltis solar protection systems: www.textinergie.org
- Document and photo library: www.sergeferrari.com

Quoted technical characteristics are average values subject to +/- 5% tolerance.

The purchaser of our products is responsible for their application or transformation in relation to possible third party rights. Moreover, the purchaser of our products is responsible for their installation and usage in compliance with the standards, working practices and safety regulations of their destination country. Please refer to our warranty document with regard to contractual liability.

Values quoted in this document are commonly used test results for design purposes. They are given for information only in order to offer our customers optimum usage of our products. Our products are subject to improvements resulting from technical developments and we reserve the right to modify their characteristics at any time. The purchaser of our products is responsible for checking the above data.

* Available during 2021.