

trails

premium concrete pavers




stylish and architectural – high performance pavers bridge the gap to stone, creating the perfect landscape for the outdoor environment. stunning surface finishes in a unique range of precise sizes aid in design continuation for different landscapes.

collaborate
concrete-collaborative.com
sales@concrete-collaborative.com

concrete
collaborative

trails

finishes



colors



each paver features natural tonal shifts and individual character unique to our quality refined concrete. trails premium pavers offer a stunning spectrum of designer colors in premium surface finishes to suit a range of architectural applications. all colors are available in each surface finish.

[collaborate with us](#): additional colors available. custom colors can be created to suit your project needs.


[collaborate](#)
concrete-collaborative.com
sales@concrete-collaborative.com

concrete
collaborative


trails

paver sizes


16 x 16"
400x400mm




24 x 24"
600x600mm



32 x 32"
800x800mm



12 x 24"
300x600mm



16 x 32"
400x800mm

plank sizes

4 x 12"
100x300mm




4 x 16"
100x400mm



4 x 24"
100x600mm



4 x 32"
100x800mm



paver thickness guide

3/4" (20mm) = thin-set

1 1/4" (30mm) = mortar set

2" (50mm) = sand / pedestal set

plank thickness guide

2" (50mm) = mortar set only

profiles

double pencil edge

32x16x1 1/2" 800x400x30mm



rebated edge

32x16x3" 800x400x75mm



collaborate with us: custom size modules available to suit your specific project. precision paver formats create clean lines and a framework for design. we offer standard coping and rebate edges to be used on stair treads, pool surrounds and other finished edge needs.

collaborate with us: custom size modules up to 48" (1200mm) available to suit your specific project.



collaborate

concrete-collaborative.com

sales@concrete-collaborative.com

concrete
collaborative

trails

premium concrete pavers

trails premium architectural pavers are dimensionally accurate and can be simply thin-set, mud-set or sand-set in accordance with standard masonry practices depending on your project needs.

once installed, the surface should be cleaned thoroughly and sealed with a quality penetrating sealer such as nano 1000. cleaning pads and sealer are available from concrete collaborative. we can also recommend floor finishing specialists to support your project.

for further information visit us at concrete-collaborative.com

