



SDN Carpet Tiles & Planks on Enviro Bac® & Enviro Bac Plus® GH Commercial

Final Assembly: Geelong, Victoria, Australia

Life Expectancy: 12-15 Year(s)

End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (GH Commercial Product Stewardship Program)

Ingredients:

Enviro Backing: Calcium Carbonate; Bitumen; Residual oils (petroleum), solvent-dewaxed; Styrene-butadiene copolymers; Magnesium Carbonate; Quartz; **Face Yarn:** Nylon 6; Titanium dioxide; Water; Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-, potassium salt, (Z)-; Diiron Trioxide; Carbon black; C.I. Pigment Brown 24; C. I. Pigment Blue 15; Unnamed Substance; 5,9,14,18-Anthrazinetetrone, 6,15-dihydro-; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-bis(3,5-dimethylphenyl)-; C.I. Pigment Blue 29; Quino[2,3-b]acridine-7,14-dione, 2,9-dichloro-5,12-dihydro-; Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl); Ethoxylated styrenated phenol; C.I. Pigment Yellow 119; C.I. Pigment Blue 28; N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide; 2-Propenoic acid, methyl ester, polymer with ethene; 2-Propenoic acid, polymer with ethene; 2-Propenoic acid, polymer with ethene, calcium salt; 9,10-Anthracenedione, 1,1'-[(6-phenyl-1,3,5-triazine-2,4-diyl)diimino]bis-; Amorphous silica; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-bis[4-(phenylazo)phenyl]-; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-dimethyl-; Benzenepropanoic acid, 3-(1,1-dimethylethyl)-4-hydroxy-5-methyl-, 1,2-ethanediybis(oxy-2,1-ethanediy) ester; Bismuth vanadium oxide (BiVO₄); Butanedioic acid, dimethyl ester, polymer with 4-hydroxy-2,2,6,6-tetramethyl-1-piperidineethanol; C.I. Pigment Green 7; C.I. Pigment Yellow 53; Chromate(1-), bis[2-[(4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo]benzoato(2 -)]-, sodium; Chromium iron oxide; Copper iodide (CuI); Decanedioic acid, polymer with hexahydro-2H-azepin-2-one, 1,6-hexanediamine and hexanedioic acid; Dodecanedioic Acid; Ethylene/MA copolymer; Hexanedioic acid, polymer with hexahydro-2H-azepin-2-one and 1,6-hexanediamine; N,N,N,N-tetrakis(4,6-bis(butyl-(N-methyl-2,2,6,6-tetramethylpiperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine; Phenol, 2,4-bis(1,1-dimethylethyl)-, phosphite (3:1); Polyethylene; Potassium bromide (KBr); Undecanoic acid, 11-amino-, homopolymer; **Secondary Scrim:** Polyethylene Terephthalate; **Pre-coat:** Calcium Carbonate; Styrene-butadiene copolymers; Styrene-Butadiene based polymer; 1,3-Butadiene; Styrene; Magnesium Carbonate; Quartz; Sulfuric acid, mono-C10-16-alkyl esters, ammonium salts; Ammonium Hydroxide, NOS; Poly(oxy-1,2-ethanediy), α -sulfo- ω -hydroxy-, C12-14-alkyl ethers, sodium salts; Sodium Hydroxide; disodium (Z)-4-(9-octadecenylamino)-4-oxo-2(or 3)-sulphonatobutyrate; Ammonium Sulfate; Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts; **Primary Backing:** Polyethylene Terephthalate; Nylon 6; C8-C18 acids, ethoxylated, propoxylated, coconut acids; Carbon black; **Top finish:** 2-Propenoic acid, 2-methyl-, homopolymer, sodium salt; 2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate; Ethanol, 2-(2-butoxyethoxy)-; 2-Propenoic acid, 2-methyl-, polymer with 2-propenoic acid, sodium salt; Phosphoric acid, isooctyl ester, potassium salt; Poly(oxy-1,2-ethanediy), α -(2-ethylhexyl)- ω -hydroxy-, phosphate; Mixture with methylchloroisothiazolinone

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: Not Applicable
- Declared

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

GHC-0002

EXP. 01 APR 2023

Original Issue Date: 2019